

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.05.2024 Version number 403 (replaces version 402) Revision: 07.05.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier 600121
- · Trade name: Silicone N E-COLL
- · Article number: 4317784409476, 4317784349697, 4317784349703

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Sector of Use

- SU21 Consumer uses: Private households / general public / consumers
- SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- · Application of the substance / the mixture Sealant
- · 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

E/D/E - Einkaufsbuero Deutscher Eisenhaendler GmbH EDE Platz 1 D-42389 Wuppertal Germany

Tel. +49 202 6096-0 e-mail: sdb@ede.de

- Further information obtainable from: Product safety department
- 1.4 Emergency telephone number: Giftinformationszentrum Mainz Tel.: +49 (6131) 19240

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

• Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- Signal word Void
- · Hazard statements Void
- Additional information: EUH210 Safety data sheet available on request.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

EU •



Printing date 07.05.2024

Version number 403 (replaces version 402)

Revision: 07.05.2024

Trade name: Silicone N E-COLL

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

· Dangerous components.		
EC number: 932-078-5 Reg.nr.: 01-2119552497-29-xxxx	Hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	2.5-10%
	🕹 Asp. Tox. 1, H304	
CAS: 37859-55-5 ELINCS: 484-460-1 Reg.nr.: 01-2120004323-76	2-Pentanon,O,O',O''- (methylsilylidin)trioxim	1-<5%
CAS: 26530-20-1 EINECS: 247-761-7 Index number: 613-112-00-5 Reg.nr.: 01-2120768921-45	 2-octyl-2H-isothiazol-3-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330 Skin Corr. 1, H314; Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100) Skin Sens. 1A, H317 EUH071 ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg LC50/4h inhalative: 0.27 ppm Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 % 	<0.1%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information: Keine besonderen Maßnahmen erforderlich.

· After inhalation:

Supply fresh air. Seek medical treatment in case of complaints.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor.

• **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.



Printing date 07.05.2024

Version number 403 (replaces version 402)

Revision: 07.05.2024

Trade name: Silicone N E-COLL

(Contd. of page 2)

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** In case of fire, the following can be released: Carbon monoxide (CO)
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions: Avoid release into the environment.
- · 6.3 Methods and material for containment and cleaning up: No special measures required.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Keep receptacles tightly sealed.
- · Information about fire and explosion protection:



Keep ignition sources away - Do not smoke.

- \cdot 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Well cosed, protected from light.
- · Information about storage in one common storage facility: Store away from oxidising agents.
- Further information about storage conditions: None.



Printing date 07.05.2024

Version number 403 (replaces version 402)

Revision: 07.05.2024

Trade name: Silicone N E-COLL

(Contd. of page 3)

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

·DNELs				
CAS: 37859-55-5 2-Pentanon,O,O',O''- (methylsilylidin)trioxim				
Dermal Long term value for employees 0.065 mg/kg bw/Tag (industrial use)				
·PNECs				
CAS: 37859-55-5 2-Pentanon,O,O',O''- (methylsilylidin)trioxim				
PNEC-Aquatic compartment Sediment 0.57 mg/kg dw (Sweetwater)				
PNEC-Aquatic compartment Water 0.1 mg/L (Sweetwater)				
PNEC-Sewage treatment plant	2.15 mg/L (cus)			

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment

· General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Avoid contact with the eyes and skin.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection



Protective gloves

- Material of gloves Nitrile rubber, NBR Recommended thickness of the material: ≥ 0.4 mm
- · Eye/face protection Recommendation: safety glasses with side protection shield
- · Body protection: Protective work clothing

EU -



Printing date 07.05.2024

Version number 403 (replaces version 402)

Revision: 07.05.2024

Trade name: Silicone N E-COLL

(Contd. of page 4)

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical	properties
General Information	D'fference and the second second
· Colour:	Different according to colouring
· Odour:	Characteristic
• Odour threshold:	Not determined.
• Melting point/freezing point:	Undetermined.
 Boiling point or initial boiling point and boiling 	
range	Undetermined.
Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
Upper:	Not determined.
· Flash point:	>100 °C
Decomposition temperature:	Not determined.
·pH	Not determined.
Viscosity:	
 Kinematic viscosity 	Not determined.
	Not applicable.
Kinematic: 23 °C - 4 mm (ISO 2431)	
· Dynamic:	Not determined.
Calub ility	Not applicable.
· Solubility	
• water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	Not applicable.
· Density and/or relative density · Density at 20 °C:	1 a/om3
· Relative density	1 g/cm ³ Not determined.
· Vapour density	Not determined.
· Particle characteristics	Not determined.
See section 3.	
· 9.2 Other information	
· Appearance:	
· Form:	Pasty
 Important information on protection of health 	,
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
· Drip point:	
· Oxidising properties	Not determined.
· Evaporation rate	Not determined.
 Information with regard to physical hazard 	
classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
 Oxidising gases 	Void
	(Contd. on



Printing date 07.05.2024

Version number 403 (replaces version 402)

Revision: 07.05.2024

Trade name: Silicone N E-COLL

		(Contd. of page 5)		
 Gases under pressure 	Void	· · · · · · · · · · · · · · · · · · ·		
Flammable liquids	Void			
Flammable solids	Void			
 Self-reactive substances and mixtures 	Void			
 Pyrophoric liquids 	Void			
Pyrophoric solids	Void			
 Self-heating substances and mixtures 	Void			
Substances and mixtures, which emit flammable				
gases in contact with water	Void			
 Oxidising liquids 	Void			
 Oxidising solids 	Void			
 Organic peroxides 	Void			
 Corrosive to metals 	Void			
 Desensitised explosives 	Void			

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

CAS: 37859-55-5 2-Pentanon,O,O',O''- (methylsilylidin)trioxim		
Oral	LD50	1,234 mg/kg (rat)
CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one		
Oral	LD50	125 mg/kg (ATE)
Dermal	LD50	311 mg/kg (ATE)
Inhalative	LC50/4h	0.27 ppm (ATE)
	LC50/4h	2 mg/m ³ (rat)

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Based on available data, the classification criteria are not met.



Printing date 07.05.2024

Version number 403 (replaces version 402)

Revision: 07.05.2024

Trade name: Silicone N E-COLL

(Contd. of page 6)

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one

LC50 akut (96h) 0.14 mg/L (Pimephales promelas)

EC50 (48h) 0.18 mg/L (daphnia)

· 12.2 Persistence and degradability No further relevant information available.

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 8)

EU -



Printing date 07.05.2024

Version number 403 (replaces version 402)

Revision: 07.05.2024

Trade name: Silicone N E-COLL

(Contd. of page 7)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods:

Containers can be recycled if completely empty; if not, dispose product/containers as dangerous waste. Observe local regulations.

· European waste catalogue

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

SECTION 14: Transport information

 · 14.1 UN number or ID number · ADR, ADN, IMDG, IATA 	Void
· 14.2 UN proper shipping name · ADR · ADN, IMDG, IATA	UN- Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
 • 14.5 Environmental hazards: • Marine pollutant: 	No
· 14.6 Special precautions for user	Not applicable.
 • 14.7 Maritime transport in bulk according to IM0 instruments • UN "Model Regulation": 	D Not applicable. Void

SECTION 15: Regulatory information

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

· Labelling according to Regulation (EC) No 1272/2008 Void

· Hazard pictograms Void

· Signal word Void

· Hazard statements Void

· National regulations:

· Verordnung (EU) Nr. 528/2012 - Verwendung von Biozidprodukten inapplicable

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

E-COLL

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.05.2024

Version number 403 (replaces version 402)

Revision: 07.05.2024

Trade name: Silicone N E-COLL

(Contd. of page 8)

· Relevant phrases

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.
- · Department issuing SDS: Product safety department
- Date of previous version: 18.02.2021
- · Version number of previous version: 402

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity - Category 2 Skin Corr. 1: Skin corrosion/irritation - Category 1 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

·* Data compared to the previous version altered.